

3315RZ1-RA

Moyennes



La Peli™ 3315RZ1-RA est l'une des torches de sécurité les plus polyvalentes actuellement disponibles, grâce à sa conception ultra compacte, à sa batterie lithium-ion rechargeable et à sa certification ATEX Zone 1, Cat. 2. Ce modèle compact tient confortablement dans la main et occupe peu d'espace de rangement ou lors du transport. La 3315RZ1-RA produit jusqu'à 176 lumens pendant jusqu'à 48 heures de service continu. Elle offre trois modes : haute intensité, faible intensité et mode clignotant. Un indicateur de la durée de vie de la batterie, encastré dans l'interrupteur d'alimentation, vous permet de toujours savoir quand il est temps de recharger la torche.

Batterie lithium-ion rechargeable

- Batterie lithium-ion rechargeable Sécurité certifiée ATEX Zone 1

- Sécurité certifiée ATEX Zone 1 Jusqu'à 176 lumens

- Jusqu'à 176 lumens Jusqu'à 48 heures de service

- Jusqu'à 48 heures de service 3 modes : Forte intensité/Faible intensité/Mode clignotant

- 3 modes : Forte intensité/Faible intensité/Mode clignotant

- Indicateur permanent de niveau de charge des piles
- Indicateur permanent de niveau de charge des piles IP67 waterproof and dustproof

- IP67 waterproof and dustproof Cordon (inclus)

- Cordon (inclus)

CONFIGURATIONS

3315RZ1-RA - Standard

DIMENSIONS

Length: 8.27"

MATÉRIAUX

Body: Anti-static Impact Modified PC/PBT

O-Ring: EPDM

Lens: Polycarbonate (PC)

Shroud: Anti-static Impact Modified PC/PBT


Clip: Stainless Steel

COULEURS


High Visibility Yellow

LIGHT SPECS

Lamp Type: LED

FL1 STANDARD	HIGH	LOW
	176 LUMENS	22 LUMENS
	5h 30mins	48h 0mins
	127m	44m
	4022cd	492cd
	IPX7	

POWER

Battery Size: 18650

Battery Type: Lithium-Ion

Battery Quantity: 1

Batteries Included: Oui

Charge Time: 600.00 mins

Battery Level Indicator: RGB LED

Volts: 3.7v

SWITCH

Switch Type: Push Button

Light Modes: High / Low / Flashing

CERTIFICATIONS

ATEX Zone 1
IECEX ib

AUTRES

Minimum Pack: 1
Package Code: C

Peli Products, S.L.U.

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com